

Joint Management

Extracapsular Solutions

Cranial Cruciate Ligament disease

Problem:

Cranial Cruciate Ligament (CCL) disease is one of the most common orthopedic conditions in dogs, impacting their ability to walk or run and affecting normal daily activities and well-being as well as long-term mobility.

Solution:

Movora offers a wide range of extracapsular solutions that rely on proven techniques to regain natural movement and stability of the stifle joint.

Visit us at movora.com/resources for a technical brochure, product IFUs and other product info.



Extracapsular Solutions with Movora

At Movora, we have a vision to improve the quality of life and enhance mobility for companion animals. We're committed to making life-enhancing care accessible through a broad portfolio of surgical options and education for continuous improvement in surgical technique.

Extracapsular Lateral Suture Stabilization

An established, tried and true intervention to replicate the function of damaged ligaments.

OrthoZip

A novel lateral stabilization system for CCL repair which requires no bone tunnels.

- Knotless/crimpless self-locking suture
- High strength with uniform tension
- Less invasive procedure
- SilverPlus® Antimicrobial coating

OrthoSta

A versatile repair system designed around stabilizing cranial and ligament injuries crucial for sports medicine.

- High strength Woven UHMWPE fiber tape
- Titanium interference screw fixation
- Features Healix[™] antimicrobial technology
- Versatile for multiple joint injuries



Lateral Suture Stabilization

Extracapsular Lateral Suture Stabilization (ELSS) is a proven surgical technique used to correct stifle instability due to cranial cruciate ligament disease.

Movora offers a reliable and repeatable lateral suture line to assist veterinarians in reestablishing the support needed to regain mobility for our companion animals.

Product Benefits

- Multiple solutions available
- Innovative Instrumentation to aid in procedures
- Incremental, verifiable tension control
- Certified high strength medical monofilament





Featuring EVEROST products for all your lateral suture needs

Bone Anchors

SAH.EV002399	2.7mm Bone Anchor SS
SAH.EV002400	3.5mm Bone Anchor SS
SAH.EV002401	4.5mm Bone Anchor SS
SAH.EV004758	2.7mm Bone Anchor Ti
SAH.EV004759	3.5mm Bone Anchor Ti
SAH.EV004760	4.5mm Bone Anchor Ti
AN 270 SO	2.7mm Bone Anchor Snap Off SS
AN 350 SO	3.5mm Bone Anchor Snap Off SS
AN 400 SO	4.0mm Bone Anchor Snap Off SS
AN 450 SO	4.5mm Bone Anchor Snap Off SS

Crimp Clamps

SAH.EV002450	Crimp Clamp, 40lb (Pkg of 15)
SAH.EV002451	Crimp Clamp, 80lb (Pkg of 15)
SAH.EV002452	Crimp Clamp, 100lb (Pkg of 15)
SAH.EV005585	Crimp Clamp, 40lb, TiN Coated (Pkg of 15)
SAH.EV005586	Crimp Clamp, 80lb, TiN Coated (Pkg of 15)
SAH.EV005588	Crimp Clamp, 100lb, TiN Coated (Pkg of 15)

Instruments & Accessories

* SAH.EV005367	Everost Universal Crimping Device
* SAH.EV002378	Everost Tensioning Device
SB-AS	Suture Button, Titanium, 2 Hole, 10mm
SB-PS	Suture Button, Titanium, 4 Hole, 12mm
SAH.40-4810	Cruciate Needle Holder, 7.75in, TC
SAH.723004	Cruciate Needle Holder, 7.5in, TC

Monofilament Nylon Suture & Needles

2sm

Double Strand Suture w Needle

SAH.EV002414	Cruciate Needle, Large, w/2 80lb Monofilament Attached (6/pk)
SAH.EV002415	Cruciate Needle, Medium, w/2 80lb Monofilament Attached (6/pk)
SAH.EV002416	Cruciate Needle, Small, w/2 80lb Monofilament Attached (6/pk)
SAH.EV002417	Cruciate Needle, Medium, w/2 40lb Monofilament Attached (6/pk)
SAH.EV002418	Cruciate Needle, Small, w/2 40lb Monofilament Attached (6/pk)
SAH.EV002419	Double Swaged, One Medium Cruciate, One Straight, w/2 40lb (6/pk)
SAH.EV002421	Double Swaged, One Medium Cruciate, One Straight, w/2 80lb (6/pk)
SAH.EV002423	Double Swaged, One Small Cruciate and One Straight, w/2 40lb (6/pk)
SAH.EV002425	Double Swaged, One Small Cruciate and One Straight, w/2 80lb (6/pk)
SAH.EV002427	Double Swaged, One Large Cruciate and One Straight, w/2 80lb (6/pk)

Single Strand Suture w Needle

SAH.EV001606	Cruciate Needle, Mini, w/1 40lb Monofilament Attached (6/pk)
SAH.EV001745	Cruciate Needle, Medium, w/1 100lb Monofilament Attached (6/pk)
SAH.EV002408	Cruciate Needle, Large, w/1 80lb Monofilament Attached (6/pk)
SAH.EV002409	Cruciate Needle, Medium, w/1 80lb Monofilament Attached (6/pk)
SAH.EV002410	Cruciate Needle, Small, w/1 80lb Monofilament Attached (6/pk)
SAH.EV002411	Cruciate Needle, Medium, w/1 40lb Monofilament Attached (6/pk)
SAH.EV002412	Cruciate Needle, Small, w/1 40lb Monofilament Attached (6/pk)
SAH.EV002413	Cruciate Needle, Half Rd, w/1 80lb Monofilament Attached (6/pk)
SAH.EV002420	Single Swaged, One Medium Cruciate, One Straight, w/1 40lb (6/pk)
SAH.EV002422	Single Swaged, One Medium Cruciate, One Straight, w/1 80lb (6/pk)
SAH.EV002424	Single Swaged, One Small Cruciate and One Straight, w/1 40lb (6/pk)
SAH.EV002426	Single Swaged, One Small Cruciate and One Straight, w/1 80lb (6/pk)
SAH.EV002428	Single Swaged, One Large Cruciate and One Straight, w/1 80lb (6/pk)



OrthoZip

OrthoZip, featuring SilverPlus antimicrobial

A novel option for repair of the CCL using a minimally invasive lateral approach to the stifle, combining an antimicrobial coated ultra-high molecular weight polyethylene self-locking suture and titanium alloy bone anchors. Two bone anchors are implanted on isometric locations on the lateral tibia and femur and connected by a self-retaining polyethylene suture.

This procedure offers added benefits over traditional lateral suture with an antimicrobial coating, stronger overall stabilization of the stifle, and a material that will not creep or stretch compared to monofilament nylon.

Product Benefits

- Isometric, Adjustable & Strong
- Self-locking knotless/crimpless system
- Simple with minimal instrumentation and inventory
- Offered in two sizes for small and large breeds
- Infection prevention featuring SilverPlus® antimicrobial
- Ultra-high strength with UHMWPE polyethylene







OrthoZip - Lateral stabilization system

PATIENT WEIGHT RECOMMENDATION < 40 lbs (18 Kg) — 3.0 mm Bone Anchor AND #2 Self-Locking Suture

SAH.EV005636 | OrthoZip Plus Size 2 Fiber, Self-Locking Suture

SAH.EV005753 3.0mm x 16mm (10mm Thread) Cancellous OrthoZip Anchor SAH.EV005754 3.0mm x 18mm (12mm Thread) Cancellous OrthoZip Anchor SAH.EV005755 3.0mm x 20mm (14mm Thread) Cancellous OrthoZip Anchor SAH.EV005756 3.0mm x 22mm (16mm Thread) Cancellous OrthoZip Anchor SAH.EV005757 3.0mm x 24mm (18mm Thread) Cancellous OrthoZip Anchor SAH.EV005758 3.0mm x 26mm (20mm Thread) Cancellous OrthoZip Anchor SAH.EV005759 3.0mm x 28mm (22mm Thread) Cancellous OrthoZip Anchor SAH.EV005760 3.0mm x 30mm (24mm Thread) Cancellous OrthoZip Anchor SAH.EV005761 3.0mm x 32mm (26mm Thread) Cancellous OrthoZip Anchor SAH.EV005762 3.0mm x 34mm (28mm Thread) Cancellous OrthoZip Anchor SAH.EV005763 3.0mm x 36mm (30mm Thread) Cancellous OrthoZip Anchor SAH.EV005764 3.0mm x 38mm (32mm Thread) Cancellous OrthoZip Anchor SAH FV005765 3.0mm x 40mm (34mm Thread) Cancellous OrthoZip Anchor

PATIENT WEIGHT RECOMMENDATION 40 -70 Lbs (18 - 32 Kg) — 4.0 mm Bone Anchor #5 Self-Locking Suture

* SAH.EV005638 | OrthoZip Plus Size 5 Fiber, Self-Locking Suture

SAH.EV005731 4.0mm x 18mm (13mm Thread) Cancellous OrthoZip Anchor SAH.EV005732 4.0mm x 20mm (15mm Thread) Cancellous OrthoZip Anchor SAH.EV005735 4.0mm x 22mm (17mm Thread) Cancellous OrthoZip Anchor SAH.EV005736 4.0mm x 24mm (19mm Thread) Cancellous OrthoZip Anchor SAH.EV005737 4.0mm x 26mm (21mm Thread) Cancellous OrthoZip Anchor SAH.EV005738 4.0mm x 28mm (23mm Thread) Cancellous OrthoZip Anchor SAH.EV005739 4.0mm x 30mm (25mm Thread) Cancellous OrthoZip Anchor SAH.EV005740 4.0mm x 32mm (27mm Thread) Cancellous OrthoZip Anchor SAH.EV005741 4.0mm x 34mm (29mm Thread) Cancellous OrthoZip Anchor 4.0mm x 36mm (31mm Thread) Cancellous OrthoZip Anchor SAH.EV005742 SAH.EV005743 4.0mm x 38mm (33mm Thread) Cancellous OrthoZip Anchor SAH.EV005744 4.0mm x 40mm (35mm Thread) Cancellous OrthoZip Anchor SAH.EV005745 4.0mm x 42mm (37mm Thread) Cancellous OrthoZip Anchor SAH.EV005746 4.0mm x 44mm (39mm Thread) Cancellous OrthoZip Anchor

Accessories

SAH.EV003149 2.0 QCK 100 319.01 Screwdriver, Teflon handle, 2.5mm Hex 2.0mm Quick Coupling Drill Bit - 100mm Depth Gauge for 2.4 - 4.0mm Screws, 5-60mm - 1.8mm Tip

Product may be used on patients greater than 70lbs (32kgs), but please use caution as any extracapsular repair on high mass patients comes with certain risks of failure.



* SAH.EV005638

OrthoSta

OrthoSta, woven UHMWPE tape featuring Healix™ antimicrobial

The OrthoSta system is ideal for repair of the canine stifle for CCL disease and versatile for many ligament injuries, hip luxation, and shoulder instability.


The flat woven tape is tunneled through the femur and held in place by a titanium button, then passed through the tibia, where it is attached using a titanium alloy interference screw to secure it with the desired tension. The knotless and crimpless system reduces soft tissue irritation, and the tape is coated in Healix™ silver ion antimicrobial to reduce the chance of infection.

Product Benefits

- Woven UHMWPE fibers allow for higher tensile strength
- Two versatile sizes for small and large breed patients
- Simple knotless and crimpless system uses a titanium interference screw for connection to the tibia
- Features Healix[™] antimicrobial technology for infection prevention







OrthoSta - knotless/crimpless lateral stabilization system

Coming Soon - Contact Movora for Pre-Order.

PATIENT WEIGHT RECOMMENDATION < 40 Lbs (18 Kg) — OrthoSta System

OSFTL 2036 | OrthoSta UHMWPE Woven Tape 2mm, Blunt Needle, 36cm, TI SB-AS, Healix Antimicrobial

OSIS 200.08 | OrthoSta Interference Screw, for 2mm Tape, 8mm, T6 Star Recess, TI-6AL-4V

OSTAP 2.0 OrthoSta Tap, for 2mm Tape, Stainless Steel Screwdriver Blade, Star Driver QCK Shaft, T6

2.5 QCK 110 2.5mm Quick Coupling Drill Bit, Tin Coated, 110mm - Material 440A

PATIENT WEIGHT RECOMMENDATION > 40 Lbs (18 Kg) — OrthoSta System

OSFTL 4060 | OrthoSta UHMWPE Woven Tape 4mm, Blunt Needle, 60cm, TI SB-PS, Healix Antimicrobial

OSIS 400.13 | OrthoSta Interference Screw, for 4mm Tape, 13mm, T8 Star Recess, TI-6AL-4V

OSTAP 4.0 OrthoSta Tap, for 4mm Tape, Stainless Steel Screwdriver Blade, Star Driver QCK Shaft, T8

3.5 QCK 110 3.5mm Quick Coupling Drill Bit, 110mm - Material 440A

Instrument Cases and Screw Racks

3.5 SRA VOI 3.5mm Multi Screw Rack, Anodized Aluminum 4.0 SRA VOI 4.0mm Multi Screw Rack. Anodized Aluminum Everost Sterilization Container Blue, 12.5" x 5" SAH.EV253113 Everost Sterilization Container Red. 12.5" x 5" SAH.EV253114

Bone Anchors

AN 270.10T 2.7mm Bone Anchor, Self-tap-Stainless-10mm AN 270.12T 2.7mm Bone Anchor, Self-tap-Stainless-12mm AN 270.14T 2.7mm Bone Anchor, Self-tap-Stainless-14mm AN 270.16T 2.7mm Bone Anchor, Self-tap-Stainless-16mm 3.5mm Bone Anchor, Self-tap-Stainless-10mm AN 350.10T 3.5mm Bone Anchor, Self-tap-Stainless-12mm AN 350.12T 3.5mm Bone Anchor, Self-tap-Stainless-14mm AN 350.14T 3.5mm Bone Anchor, Self-tap-Stainless-16mm AN 350.16T 3.5mm Bone Anchor, Self-tap-Stainless-18mm AN 350.18T AN 350.20T 3.5mm Bone Anchor, Self-tap-Stainless-20mm AN 350.22T 3.5mm Bone Anchor, Self-tap-Stainless-22mm AN 350.24T 3.5mm Bone Anchor, Self-tap-Stainless-24mm 3.5mm Bone Anchor, Self-tap-Stainless-26mm AN 350.26T * AN 350.28T 3.5mm Bone Anchor, Self-tap-Stainless-28mm AN 350.30T 3.5mm Bone Anchor, Self-tap-Stainless-30mm AN 400.10T 4.0mm Bone Anchor, Self-tap-Stainless-10mm 4.0mm Bone Anchor, Self-tap-Stainless-12.4mm AN 400.12.5T 4.0mm Bone Anchor, Self-tap-Stainless-12mm AN 400.12T 4.0mm Bone Anchor, Self-tap-Stainless-14mm AN 400.14T AN 400.16T 4.0mm Bone Anchor, Self-tap-Stainless-16mm 4.0mm Bone Anchor, Self-tap-Stainless-18mm AN 400.18T 4.0mm Bone Anchor, Self-tap-Stainless-20mm AN 400.20T AN 400.22T 4.0mm Bone Anchor, Self-tap-Stainless-22mm AN 400.24T 4.0mm Bone Anchor, Self-tap-Stainless-24mm AN 400.26T 4.0mm Bone Anchor, Self-tap-Stainless-26mm AN 400.28T 4.0mm Bone Anchor, Self-tap-Stainless-28mm AN 400.30T 4.0mm Bone Anchor, Self-tap-Stainless-30mm AN 400 32T 4.0mm Bone Anchor, Self-tap-Stainless-32mm 4.0mm Bone Anchor, Self-tap-Stainless-34mm AN 400.34T AN 400.36T 4.0mm Bone Anchor, Self-tap-Stainless-36mm 4.0mm Bone Anchor, Self-tap-Stainless-38mm AN 400.38T AN 400.40T 4.0mm Bone Anchor, Self-tap-Stainless-40mm AN 400.8.5T 4.0mm Bone Anchor, Self-tap-Stainless-8.5mm AN 470.12.5T 4.7mm Bone Anchor, Self-tap-Stainless-12.4mm 4.7mm Bone Anchor, Self-tap-Stainless-8.5mm AN 470.8.5T

Toggles and Suture Buttons

55027 Imex Togale Pin 2.7mm x 10mm 55032 Imex Togale Pin 3.2mm x 14mm 55040 Imex Toggle Pin 4.0mm x 18mm 55100S Imex Polypropylene Suture Button 55200 Imex Titanium Suture Button 155027 Imex 2.7mm Toggle Pin, 10mm Long, 1.1mm Hole 155032 Imex 3.2mm Toggle Pin, 14mm Long, 1.1mm Hole Imex 4.0mm Toggle Pin, 18mm Long, 1.9mm Hole 155040 Everost Togale Rod, Ti, 2.7mm SAH.EV001833 Everost Toggle Rod, Ti, 2.0mm SAH.EV001834 Everost Togale Rod Insertion Device SAH.EV002748 Everost O Ring For Toggle Rod Insertion Device (Pkg of 6) SAH.EV002750 Everost Togale Rod. Ti. 3.2mm SAH.EV002751 SAH.EV003134 Everost Ccr Suture Button, 2.5mm x 6mm SAH.EV003563 Everost Toggle Rod, Ti, 6mm SAH.EV003565 Everost Toggle Rod, Ti, 4mm

Everost Toggle Rod, SS, 3.2mm x 12mm

Everost Toggle Rod, SS, 3.2mm x 14mm

Everost Toggle Rod, SS, 4.0mm x 18mm

* AN 350.26T

SAH.EV003566

SAH.EV003567

SAH.EV003568

Drill Bits	
2.0 QCK 100	2.0mm Quick Coupling Drill Bit - 100mm
2.0 QCK 100 DLC	2.0mm Quick Coupling Drill Bit, DLC Coated - 100mm
2.0 QCK 100 SC	2.0mm Quick Coupling Drill Bit, Self-Centering - 100mm
2.0 QCK 100 SCDLC	2.0mm Quick Coupling Drill Bit, Self-Centering, DLC Coated - 100mm
2.0 QCK 125	2.0mm Quick Coupling Drill Bit - 125mm
2.5 QCK 110	2.5mm Quick Coupling Drill Bit, Tin Coated - 110mm
2.5 QCK 110 DLC	2.5mm Quick Coupling Drill Bit, DLC Coated - 110mm
2.5 QCK 110 SC	2.5mm Quick Coupling Drill Bit, Self-Centering, Tin Coated - 110mm
2.5 QCK 110 SCDLC	2.5mm Quick Coupling Drill Bit, Self-Centering, DLC Coated - 110mm
2.5 QCK 180	2.5mm Quick Coupling Drill Bit, Tin Coated - 180mm
2.5 QCK 180 B	2.5mm QCK Drill Bit 180mm
2.5 QCK 180 DLC	2.5mm Quick Coupling Drill Bit, DLC Coated - 180mm
3.2 QCK 145	3.2mm Quick Coupling Drill Bit - 145mm
3.2 QCK 195	3.2mm Quick Coupling Drill Bit - 195mm
4.5 QCK 145	4.5mm Quick Coupling Drill Bit - 145mm
4.5 QCK 195	4.5mm Quick Coupling Drill Bit - 195mm
CAN 2.0 150 QCK	2.0mm Cannulated Quick Coupling Drill Bit045 K Wire
CAN 2.0 150 QCK DLC	2.0mm Cannulated Quick Coupling Drill Bit, DLC Coated045 K Wire
CAN 2.5 160 QCK	2.5mm Cannulated Quick Coupling Drill Bit045 Wire
CAN 3.2 170 QCK	3.2mm Cannulated Quick Coupling Drill Bit062 Pin
CAN 3.2 225 QCK	3.2mm Cannulated Quick Coupling Drill Bit062 Pin/1.16 Wires
CAN 3.2 225 QCK DLC	3.2mm Cannulated Quick Coupling Drill Bit, DLC Coated062 Pin/1.16 Wires
CAN 4.5 225 QCK	4.5mm Cannulated Quick Coupling Drill Bit 062 Pin/1.16 Wire
SAH.EVDBJC20	2.0mm Drill Bit, JC, 85mm Long, Anti-Skid TiN Coated

Isometric Aiming Devices

* 100017 VOI Universal Aiming Guide C Frame, for Use with K Wire and Cannulated drills Imex Universal Aiming Device, for Use with Interchangeable drill guides 50000 50016 Imex Universal Aiming Device Drill Guide 1.6mm 50020 Imex Universal Aiming Device Drill Guide 2.0mm Imex 50023 Universal Aiming Device Drill Guide 2.3mm Imex 50025 Universal Aiming Device Drill Guide 2.5mm Imex 50027 Universal Aiming Device Drill Guide 2.7mm Imex 50031 Universal Aiming Device Drill Guide 3.1mm Imex 50035 Universal Aiming Device Drill Guide 3.5mm Imex 50039 Universal Aiming Device Drill Guide 3.9mm Imex 50045 Universal Aiming Device Drill Guide 4.5mm Everost SAH.EV002747 Universal Aiming Guide, with 3.2mm drill sleeve SAH.EV005680 **Everost Isometric Assessment Tool**

Instrument and Accessories

319.01 Depth Gauge for 2.4-4.0mm Screws, 5-60mm - 1.8mm Tip 20035 Screwdriver Blade, Star T6, QCK Shaft, 2.5mm Interference Screw 20036 Screwdriver Blade, Star T8, QCK Shaft, 3-4mm Interference Screw 20037 Screwdriver Blade, Star T15, QCK Shaft, 5.5mm Interference Screw 500002 Screwdriver Handle, Composite, Quick Coupling 0.062 1.57mm (0.062") K-Wire, 8" Long, Double Trocar 0.045 1.14mm (0.045") K-Wire, 7" Long, Double Trocar K-Wire, 0.045 x 6", pkg of 6 00045 00062 K-Wire, 0.062 x 6", pkg of 6 29400 Ventura Stifle Thrust Lever Mini 29500 Ventura Stifle Thrust Lever Standard 55000 Suture Passer DDS 2.0/2.7 Double Sided Drill Sleeve Guide, 2.0/2.7mm DDS 2.5/3.5 Double Sided Drill Sleeve Guide, 2.5/3.5mm GS 86.2505 Double Sided Drill Sleeve Guide, 3.2/4.5mm SAH.EV002730 Vet Spectrum Dual Hand Chuck Handle SAH.EV002731 Vet Spectrum Dual Hand Chuck Sterile Drill Adaptor SAH.EV002732 Vet Spectrum Dual Hand Chuck & Mini Dual Hand Chuck Tightening Bar SAH.EV002733 Vet Spectrum Dual Hand Chuck Extension Tube SAH.EV002734 Vet Spectrum Dual Hand Chuck Jacobs Chuck Key Monofilament Nylon Puller SAH.EV002749 Screwdriver, Teflon Handle, 2.5mm Hex SAH.EV003149 SAH.EV004940 2.5 Hex Screwdriver, Small TH OCK T Handle, Quick Coupling, for Tap RT 26 Handle w/QCK Coupling



Featured Products

SAH.10002 | Everost EverVisc HA, Joint Lubrication, 2ml SAH.EV004988 | Everost Simini Protect Lavage, 20ml Vial, pack of 8

